Rittal - The System.

Faster – better – everywhere.

► Compact enclosures AE – AE 1054.500

Date: May 24, 2019



NCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Compact enclosures AE – AE 1054.500 created: 24.05.2019 build on www.rittal.com/th-en



Material thickness:

Product description	n
Material:	Enclosure: Sheet steel Door: Sheet steel, all-round foamed-in PU seal
Surface finish:	Enclosure and door: Dipcoat primed, powder-coated on the outside, textured paint Mounting plate: Zinc-plated
Colour:	RAL 7035
Protection category IP to IEC 60 529:	IP 66
Protection category NEMA:	NEMA 4
IK Code:	IK08
Supply includes:	Enclosure with hinged door(s), of all-round solid construction Gland plate(s) in enclosure base Mounting plate Lock: 3 mm double-bit
Basic material:	Sheet steel
Product features	
Dimensions:	Width: 600 mm Height: 600 mm Depth: 250 mm

© Rittal 2019

1

Enclosure: 1.5 mm Door: 1.75 mm

Mounting plate: 2.5 mm

Mounting plate:	Width: 549 mm Height: 570 mm
Number of doors:	1
Door hinged on the right, may be swapped to the left:	yes
Lock version:	Cam
Number of locks:	2
Lock insert:	3 mm double-bit
Gland plate, size:	5
Gland plate, qty.:	1
Packs of:	1 pc(s).
Weight/pack:	24.8 kg
EAN:	4028177522923
Customs tariff number:	94032080
ETIM 6.0:	EC000261
ETIM 5.0:	EC000261
eCl@ss 8.0/8.1:	27180101
eCl@ss 7.0/7.1:	27180101
e CI@ss 6.0/6.1:	27180101
e Cl@ss 5.1/5.1.4:	27180102
Product description:	AE Compact enclosure, WHD: 600x600x250 mm, Sheet steel, with mounting plate, single-door, with two cam locks
Approvals	

Approvals: Bureau Veritas

CSA DNV-GL

Lloyds Register of Shipping

© Rittal 2019 2

RRR Russian Maritime Register of Shipping $T\ddot{U}V$ UL + C-UL

Certificates: EAC IK-Code

Protection category

Declarations: Declaration of conformity

© Rittal 2019 3