


Data sheet | Item number: 857-819

Voltage signal conditioner; Bipolar voltage input signal; Current and voltage output signal; Configuration via software; Supply voltage: 24 VDC; 6 mm module width



[www.wago.com/857-819](http://www.wago.com/857-819)



IN+	1	IN mV	OUT	5	OUT+
IN-	2		U,I	6	GND 1
N.C.	3	POWER		7	Us+
N.C.	4			8	GND 2

RoHS  Compliant

[BOMcheck.net](http://BOMcheck.net)





## Input

Input signal type	Voltage
Input signal voltage	$\pm 100$ mV; 0 ... 200 mV; 0 ... 300 mV
Input resistance (input/voltage)	$\geq 1$ M $\Omega$
Max. input voltage	$\pm 31.2$ VDC
Min. measuring span	10 mV

## Output

Output signal type	Current Voltage
Output signal voltage	0 ... 5 V; 1 ... 5 V; 0 ... 10 V; 2 ... 10 V
Output signal current	0 ... 10 mA; 2 ... 10 mA; 0 ... 20 mA; 4 ... 20 mA
Load impedance (output/voltage)	$\geq 2$ k $\Omega$
Load impedance (output/current)	$\leq 600$ $\Omega$

## Signal processing

Step response typ.	50 ms
--------------------	-------

## Measurement error

Transmission error typ.	$\leq 0.1$ % at max. measuring span
Temperature coefficient	$\leq 0.01$ %/K

## Power supply

Type of power supply	24 VDC
Nominal supply voltage $U_S$	DC 24 V
Supply voltage range	$\pm 30$ %
Current consumption at supply voltage	$\leq 40$ mA

## Safety and protection:

Test voltage (input/output/supply)	AC 2.5 kV; 50 Hz; 1 min
Protection class	IP20

## Connection data

Connection technology	Push-in CAGE CLAMP <sup>®</sup>
Solid conductor	0.08 ... 2.5 mm <sup>2</sup> / 28 ... 14 AWG
Fine-stranded conductor	0.34 ... 2.5 mm <sup>2</sup> / 22 ... 14 AWG
Strip length	9 ... 10 mm / 0.35 ... 0.39 inch

## Geometrical Data

Width	6 mm / 0.236 inch
Height from upper-edge of DIN-35 rail	97.8 mm / 3.85 inch
Depth	94 mm / 3.701 inch

## Mechanical data

Type of mounting	DIN-35 rail
------------------	-------------

## Material Data

Color	light gray
Fire load	0.596 MJ
Weight	36.314 g

## Environmental Requirements

Surrounding air (operating) temperature	-25 ... 70 °C
Surrounding air (storage) temperature	-40 ... 85 °C

## Standards and specifications



Conformity marking	1
EMC immunity to interference	EN 61000-6-2
EMC emission of interference	EN 61000-6-4

## Commercial data





Product Group	6 (Interface Electronics)
Country of origin	DE
GTIN	4045454665975
Customs Tariff No.	85437090300

## Approvals / Certificates


### Ex-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	IECEX TUEV Nord Cert GmbH	EN 60079-0	TÜV_14_ATEX_112692_X
	IECEX TUEV Nord Cert GmbH	IEC 60079-0	IECEX_TUN_14.0030_X

## Ship Approvals


Logo	Approval	Additional Approval Text	Certificate name
	<b>BV</b> Bureau Veritas S.A.	-	40179_A0
	<b>DNV GL</b> Det Norske Veritas, Germanischer Lloyd	-	TAA00001D1
	<b>NK</b> Nippon Kaiji Kyokai	-	TA17255M
	<b>PRS</b> Polski Rejestr Statków	-	TE/2186 /880590/18













## UL-Approvals
















Logo	Approval	Additional Approval Text	Certificate name
	<b>UL</b> UL International Netherlands B.V. (ORDINARY LOCATIONS)	UL 508	E175199 Sec.4

## Compatible products

## Marking accessories

	<b>Item no.: 2009-110</b> Marking strips; on reel; not stretchable; plain; snap-on type	<a href="http://www.wago.com/2009-110">www.wago.com/2009-110</a>
	<b>Item no.: 2009-115</b> WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	<a href="http://www.wago.com/2009-115">www.wago.com/2009-115</a>
	<b>Item no.: 2009-115/000-002</b> WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	<a href="http://www.wago.com/2009-115/000-002">www.wago.com/2009-115/000-002</a>

	<p><b>Item no.: 2009-115/000-006</b> WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type</p>	<p><a href="http://www.wago.com/2009-115/000-006">www.wago.com/2009-115/000-006</a></p>
	<p><b>Item no.: 2009-115/000-007</b> WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type</p>	<p><a href="http://www.wago.com/2009-115/000-007">www.wago.com/2009-115/000-007</a></p>
	<p><b>Item no.: 2009-115/000-012</b> WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type</p>	<p><a href="http://www.wago.com/2009-115/000-012">www.wago.com/2009-115/000-012</a></p>
	<p><b>Item no.: 2009-115/000-017</b> WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type</p>	<p><a href="http://www.wago.com/2009-115/000-017">www.wago.com/2009-115/000-017</a></p>
	<p><b>Item no.: 2009-115/000-023</b> WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type</p>	<p><a href="http://www.wago.com/2009-115/000-023">www.wago.com/2009-115/000-023</a></p>
	<p><b>Item no.: 2009-115/000-024</b> WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type</p>	<p><a href="http://www.wago.com/2009-115/000-024">www.wago.com/2009-115/000-024</a></p>
	<p><b>Item no.: 793-501</b> WMB marking card; as card; not stretchable; plain; snap-on type</p>	<p><a href="http://www.wago.com/793-501">www.wago.com/793-501</a></p>
	<p><b>Item no.: 793-501/000-002</b> WMB marking card; as card; not stretchable; plain; snap-on type</p>	<p><a href="http://www.wago.com/793-501/000-002">www.wago.com/793-501/000-002</a></p>
	<p><b>Item no.: 793-501/000-005</b> WMB marking card; as card; not stretchable; plain; snap-on type</p>	<p><a href="http://www.wago.com/793-501/000-005">www.wago.com/793-501/000-005</a></p>
	<p><b>Item no.: 793-501/000-006</b> WMB marking card; as card; not stretchable; plain; snap-on type</p>	<p><a href="http://www.wago.com/793-501/000-006">www.wago.com/793-501/000-006</a></p>
	<p><b>Item no.: 793-501/000-007</b> WMB marking card; as card; not stretchable; plain; snap-on type</p>	<p><a href="http://www.wago.com/793-501/000-007">www.wago.com/793-501/000-007</a></p>
	<p><b>Item no.: 793-501/000-012</b> WMB marking card; as card; not stretchable; plain; snap-on type</p>	<p><a href="http://www.wago.com/793-501/000-012">www.wago.com/793-501/000-012</a></p>
	<p><b>Item no.: 793-501/000-017</b> WMB marking card; as card; not stretchable; plain; snap-on type</p>	<p><a href="http://www.wago.com/793-501/000-017">www.wago.com/793-501/000-017</a></p>
	<p><b>Item no.: 793-501/000-023</b> WMB marking card; as card; not stretchable; plain; snap-on type</p>	<p><a href="http://www.wago.com/793-501/000-023">www.wago.com/793-501/000-023</a></p>
	<p><b>Item no.: 793-501/000-024</b> WMB marking card; as card; not stretchable; plain; snap-on type</p>	<p><a href="http://www.wago.com/793-501/000-024">www.wago.com/793-501/000-024</a></p>

	<p><b>Item no.: 793-502</b> WMB marking card; as card; MARKED; 1 ... 10 (10x); not stretchable; Horizontal marking; snap-on type</p>	<a href="http://www.wago.com/793-502">www.wago.com/793-502</a>
	<p><b>Item no.: 793-502/000-002</b> WMB marking card; as card; MARKED; 1 ... 10 (10x); not stretchable; Horizontal marking; snap-on type</p>	<a href="http://www.wago.com/793-502/000-002">www.wago.com/793-502/000-002</a>
	<p><b>Item no.: 793-502/000-005</b> WMB marking card; as card; MARKED; 1 ... 10 (10x); not stretchable; Horizontal marking; snap-on type</p>	<a href="http://www.wago.com/793-502/000-005">www.wago.com/793-502/000-005</a>
	<p><b>Item no.: 793-502/000-006</b> WMB marking card; as card; MARKED; 1 ... 10 (10x); not stretchable; Horizontal marking; snap-on type</p>	<a href="http://www.wago.com/793-502/000-006">www.wago.com/793-502/000-006</a>
	<p><b>Item no.: 793-502/000-007</b> WMB marking card; as card; MARKED; 1 ... 10 (10x); not stretchable; Horizontal marking; snap-on type</p>	<a href="http://www.wago.com/793-502/000-007">www.wago.com/793-502/000-007</a>
	<p><b>Item no.: 793-502/000-012</b> WMB marking card; as card; MARKED; 1 ... 10 (10x); not stretchable; Horizontal marking; snap-on type</p>	<a href="http://www.wago.com/793-502/000-012">www.wago.com/793-502/000-012</a>
	<p><b>Item no.: 793-502/000-017</b> WMB marking card; as card; MARKED; 1 ... 10 (10x); not stretchable; Horizontal marking; snap-on type</p>	<a href="http://www.wago.com/793-502/000-017">www.wago.com/793-502/000-017</a>
	<p><b>Item no.: 793-502/000-023</b> WMB marking card; as card; MARKED; 1 ... 10 (10x); not stretchable; Horizontal marking; snap-on type</p>	<a href="http://www.wago.com/793-502/000-023">www.wago.com/793-502/000-023</a>
	<p><b>Item no.: 793-502/000-024</b> WMB marking card; as card; MARKED; 1 ... 10 (10x); not stretchable; Horizontal marking; snap-on type</p>	<a href="http://www.wago.com/793-502/000-024">www.wago.com/793-502/000-024</a>
	<p><b>Item no.: 793-503</b> WMB marking card; as card; MARKED; 11 ... 20 (10x); not stretchable; Horizontal marking; snap-on type</p>	<a href="http://www.wago.com/793-503">www.wago.com/793-503</a>
	<p><b>Item no.: 793-503/000-002</b> WMB marking card; as card; MARKED; 11 ... 20 (10x); not stretchable; Horizontal marking; snap-on type</p>	<a href="http://www.wago.com/793-503/000-002">www.wago.com/793-503/000-002</a>
	<p><b>Item no.: 793-503/000-005</b> WMB marking card; as card; MARKED; 11 ... 20 (10x); not stretchable; Horizontal marking; snap-on type</p>	<a href="http://www.wago.com/793-503/000-005">www.wago.com/793-503/000-005</a>
	<p><b>Item no.: 793-503/000-006</b> WMB marking card; as card; MARKED; 11 ... 20 (10x); not stretchable; Horizontal marking; snap-on type</p>	<a href="http://www.wago.com/793-503/000-006">www.wago.com/793-503/000-006</a>
	<p><b>Item no.: 793-503/000-007</b> WMB marking card; as card; MARKED; 11 ... 20 (10x); not stretchable; Horizontal marking; snap-on type</p>	<a href="http://www.wago.com/793-503/000-007">www.wago.com/793-503/000-007</a>
	<p><b>Item no.: 793-503/000-012</b> WMB marking card; as card; MARKED; 11 ... 20 (10x); not stretchable; Horizontal marking; snap-on type</p>	<a href="http://www.wago.com/793-503/000-012">www.wago.com/793-503/000-012</a>

**Item no.: 793-503/000-017**

WMB marking card; as card; MARKED; 11 ... 20 (10x); not stretchable; Horizontal marking; snap-on type

[www.wago.com/793-503](http://www.wago.com/793-503)

/000-017

**Item no.: 793-503/000-023**

WMB marking card; as card; MARKED; 11 ... 20 (10x); not stretchable; Horizontal marking; snap-on type

[www.wago.com/793-503](http://www.wago.com/793-503)

/000-023

**Item no.: 793-503/000-024**

WMB marking card; as card; MARKED; 11 ... 20 (10x); not stretchable; Horizontal marking; snap-on type

[www.wago.com/793-503](http://www.wago.com/793-503)

/000-024

**Item no.: 793-504**

WMB marking card; as card; MARKED; 21 ... 30 (10x); not stretchable; Horizontal marking; snap-on type

[www.wago.com/793-504](http://www.wago.com/793-504)**Item no.: 793-504/000-002**

WMB marking card; as card; MARKED; 21 ... 30 (10x); not stretchable; Horizontal marking; snap-on type

[www.wago.com/793-504](http://www.wago.com/793-504)

/000-002

**Item no.: 793-504/000-005**

WMB marking card; as card; MARKED; 21 ... 30 (10x); not stretchable; Horizontal marking; snap-on type

[www.wago.com/793-504](http://www.wago.com/793-504)

/000-005

**Item no.: 793-504/000-006**

WMB marking card; as card; MARKED; 21 ... 30 (10x); not stretchable; Horizontal marking; snap-on type

[www.wago.com/793-504](http://www.wago.com/793-504)

/000-006

**Item no.: 793-504/000-012**

WMB marking card; as card; MARKED; 21 ... 30 (10x); not stretchable; Horizontal marking; snap-on type

[www.wago.com/793-504](http://www.wago.com/793-504)

/000-012

**Item no.: 793-504/000-017**

WMB marking card; as card; MARKED; 21 ... 30 (10x); not stretchable; Horizontal marking; snap-on type

[www.wago.com/793-504](http://www.wago.com/793-504)

/000-017

**Item no.: 793-504/000-023**

WMB marking card; as card; MARKED; 21 ... 30 (10x); not stretchable; Horizontal marking; snap-on type

[www.wago.com/793-504](http://www.wago.com/793-504)

/000-023

**Item no.: 793-505**

WMB marking card; as card; MARKED; 31 ... 40 (10x); not stretchable; Horizontal marking; snap-on type

[www.wago.com/793-505](http://www.wago.com/793-505)**Item no.: 793-505/000-005**

WMB marking card; as card; MARKED; 31 ... 40 (10x); not stretchable; Horizontal marking; snap-on type

[www.wago.com/793-505](http://www.wago.com/793-505)

/000-005

**Item no.: 793-505/000-006**

WMB marking card; as card; MARKED; 31 ... 40 (10x); not stretchable; Horizontal marking; snap-on type

[www.wago.com/793-505](http://www.wago.com/793-505)

/000-006

**Item no.: 793-505/000-007**

WMB marking card; as card; MARKED; 31 ... 40 (10x); not stretchable; Horizontal marking; snap-on type

[www.wago.com/793-505](http://www.wago.com/793-505)

/000-007

**Item no.: 793-505/000-012**


WMB marking card; as card; MARKED; 31 ... 40 (10x); not stretchable; Horizontal marking; snap-on type


[www.wago.com/793-505](http://www.wago.com/793-505)


/000-012


**Item no.: 793-506**





 WMB marking card; as card; MARKED; 41 ... 50 (10x); not stretchable; Horizontal marking; snap-on type [www.wago.com/793-506](http://www.wago.com/793-506)


 **Item no.: 793-506/000-005** [www.wago.com/793-506](http://www.wago.com/793-506)  
WMB marking card; as card; MARKED; 41 ... 50 (10x); not stretchable; Horizontal marking; snap-on type /000-005


 **Item no.: 793-506/000-006** [www.wago.com/793-506](http://www.wago.com/793-506)  
WMB marking card; as card; MARKED; 41 ... 50 (10x); not stretchable; Horizontal marking; snap-on type /000-006


 **Item no.: 793-506/000-012** [www.wago.com/793-506](http://www.wago.com/793-506)  
WMB marking card; as card; MARKED; 41 ... 50 (10x); not stretchable; Horizontal marking; snap-on type /000-012


 **Item no.: 793-506/000-017** [www.wago.com/793-506](http://www.wago.com/793-506)  
WMB marking card; as card; MARKED; 41 ... 50 (10x); not stretchable; Horizontal marking; snap-on type /000-017


 **Item no.: 793-5501** [www.wago.com/793-5501](http://www.wago.com/793-5501)  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type


 **Item no.: 793-5501/000-002** [www.wago.com/793-5501](http://www.wago.com/793-5501)  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type /000-002


 **Item no.: 793-5501/000-005** [www.wago.com/793-5501](http://www.wago.com/793-5501)  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type /000-005


 **Item no.: 793-5501/000-006** [www.wago.com/793-5501](http://www.wago.com/793-5501)  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type /000-006


 **Item no.: 793-5501/000-007** [www.wago.com/793-5501](http://www.wago.com/793-5501)  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type /000-007

 **Item no.: 793-5501/000-012** [www.wago.com/793-5501](http://www.wago.com/793-5501)  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type /000-012

 **Item no.: 793-5501/000-014** [www.wago.com/793-5501](http://www.wago.com/793-5501)  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type /000-014

 **Item no.: 793-5501/000-017** [www.wago.com/793-5501](http://www.wago.com/793-5501)  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type /000-017

 **Item no.: 793-5501/000-023** [www.wago.com/793-5501](http://www.wago.com/793-5501)  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type /000-023

 **Item no.: 793-5501/000-024** [www.wago.com/793-5501](http://www.wago.com/793-5501)  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type /000-024

**Item no.: 793-566**

WMB marking card; as card; MARKED; 1 ... 50 (2x); not stretchable; Horizontal marking; snap-on type

[www.wago.com/793-566](http://www.wago.com/793-566)**Item no.: 793-566/000-002**

WMB marking card; as card; MARKED; 1 ... 50 (2x); not stretchable; Horizontal marking; snap-on type

[www.wago.com/793-566/000-002](http://www.wago.com/793-566/000-002)**Item no.: 793-566/000-005**

WMB marking card; as card; MARKED; 1 ... 50 (2x); not stretchable; Horizontal marking; snap-on type

[www.wago.com/793-566/000-005](http://www.wago.com/793-566/000-005)**Item no.: 793-566/000-006**

WMB marking card; as card; MARKED; 1 ... 50 (2x); not stretchable; Horizontal marking; snap-on type

[www.wago.com/793-566/000-006](http://www.wago.com/793-566/000-006)**Item no.: 793-566/000-007**

WMB marking card; as card; MARKED; 1 ... 50 (2x); not stretchable; Horizontal marking; snap-on type

[www.wago.com/793-566/000-007](http://www.wago.com/793-566/000-007)**Item no.: 793-566/000-012**

WMB marking card; as card; MARKED; 1 ... 50 (2x); not stretchable; Horizontal marking; snap-on type

[www.wago.com/793-566/000-012](http://www.wago.com/793-566/000-012)**Item no.: 793-566/000-017**

WMB marking card; as card; MARKED; 1 ... 50 (2x); not stretchable; Horizontal marking; snap-on type

[www.wago.com/793-566/000-017](http://www.wago.com/793-566/000-017)**Item no.: 793-566/000-023**

WMB marking card; as card; MARKED; 1 ... 50 (2x); not stretchable; Horizontal marking; snap-on type

[www.wago.com/793-566/000-023](http://www.wago.com/793-566/000-023)**Item no.: 793-566/000-024**

WMB marking card; as card; MARKED; 1 ... 50 (2x); not stretchable; Horizontal marking; snap-on type

[www.wago.com/793-566/000-024](http://www.wago.com/793-566/000-024)**assembling****Item no.: 249-116**

Screwless end stop; 6 mm wide

[www.wago.com/249-116](http://www.wago.com/249-116)**Item no.: 249-117**

Screwless end stop; 10 mm wide

[www.wago.com/249-117](http://www.wago.com/249-117)**Item no.: 249-197**

Screwless end stop; 14 mm wide

[www.wago.com/249-197](http://www.wago.com/249-197)**General accessories****Item no.: 750-921**

Bluetooth® Adapter

[www.wago.com/750-921](http://www.wago.com/750-921)**Item no.: 750-923**

Configuration cable; USB connector

[www.wago.com/750-923](http://www.wago.com/750-923)**Item no.: 750-923/000-001**

Configuration cable; USB connector; Length: 5 m

[www.wago.com/750-923/000-001](http://www.wago.com/750-923/000-001)**Item no.: 857-979**

Supply and through module

[www.wago.com/857-979](http://www.wago.com/857-979)

## power supply

**Item no.: 787-2852**

Switched-mode power supply; for JUMPFLEX® Signal Conditioners; 1-phase; 24 VDC output voltage; 1 A output current [www.wago.com/787-2852](http://www.wago.com/787-2852)

## transfer module

**Item no.: 857-980**

JUMPFLEX® adapter; with 16-pole flat cable connector per DIN 41651; analog [www.wago.com/857-980](http://www.wago.com/857-980)

## tools

**Item no.: 210-720**

Operating tool with partially insulated shaft; Type 2, blade (3.5 x 0.5) mm [www.wago.com/210-720](http://www.wago.com/210-720)

## Jumper

**Item no.: 281-482**

Comb-style jumper bar; insulated; 2-way; IN = IN terminal block [www.wago.com/281-482](http://www.wago.com/281-482)

**Item no.: 859-402**

Push-in type jumper bar; 2-way; Nominal current 18 A; insulated [www.wago.com/859-402](http://www.wago.com/859-402)

**Item no.: 859-402/000-005**

Push-in type jumper bar; 2-way; Nominal current 18 A; insulated [www.wago.com/859-402/000-005](http://www.wago.com/859-402/000-005)

**Item no.: 859-402/000-006**

Push-in type jumper bar; 2-way; Nominal current 18 A; insulated [www.wago.com/859-402/000-006](http://www.wago.com/859-402/000-006)

**Item no.: 859-402/000-029**

Push-in type jumper bar; 2-way; Nominal current 18 A; insulated [www.wago.com/859-402/000-029](http://www.wago.com/859-402/000-029)

**Item no.: 859-403**

Push-in type jumper bar; 3-way; Nominal current 18 A; insulated [www.wago.com/859-403](http://www.wago.com/859-403)

**Item no.: 859-403/000-005**

Push-in type jumper bar; 3-way; Nominal current 18 A; insulated [www.wago.com/859-403/000-005](http://www.wago.com/859-403/000-005)

**Item no.: 859-403/000-006**

Push-in type jumper bar; 3-way; Nominal current 18 A; insulated [www.wago.com/859-403/000-006](http://www.wago.com/859-403/000-006)

**Item no.: 859-403/000-029**

Push-in type jumper bar; 3-way; Nominal current 18 A; insulated [www.wago.com/859-403/000-029](http://www.wago.com/859-403/000-029)

**Item no.: 859-404**

Push-in type jumper bar; 4-way; Nominal current 18 A; insulated [www.wago.com/859-404](http://www.wago.com/859-404)

**Item no.: 859-404/000-005**

Push-in type jumper bar; 4-way; Nominal current 18 A; insulated [www.wago.com/859-404/000-005](http://www.wago.com/859-404/000-005)

**Item no.: 859-404/000-006**

Push-in type jumper bar; 4-way; Nominal current 18 A; insulated [www.wago.com/859-404/000-006](http://www.wago.com/859-404/000-006)



**Item no.: 859-404/000-029**  
Push-in type jumper bar; 4-way; Nominal current 18 A; insulated

[www.wago.com/859-404/000-029](http://www.wago.com/859-404/000-029)



**Item no.: 859-405**  
Push-in type jumper bar; 5-way; Nominal current 18 A; insulated

[www.wago.com/859-405](http://www.wago.com/859-405)



**Item no.: 859-405/000-005**  
Push-in type jumper bar; 5-way; Nominal current 18 A; insulated

[www.wago.com/859-405/000-005](http://www.wago.com/859-405/000-005)



**Item no.: 859-405/000-006**  
Push-in type jumper bar; 5-way; Nominal current 18 A; insulated

[www.wago.com/859-405/000-006](http://www.wago.com/859-405/000-006)



**Item no.: 859-405/000-029**  
Push-in type jumper bar; 5-way; Nominal current 18 A; insulated

[www.wago.com/859-405/000-029](http://www.wago.com/859-405/000-029)



**Item no.: 859-406**  
Push-in type jumper bar; 6-way; Nominal current 18 A; insulated

[www.wago.com/859-406](http://www.wago.com/859-406)



**Item no.: 859-406/000-005**  
Push-in type jumper bar; 6-way; Nominal current 18 A; insulated

[www.wago.com/859-406/000-005](http://www.wago.com/859-406/000-005)



**Item no.: 859-406/000-006**  
Push-in type jumper bar; 6-way; Nominal current 18 A; insulated

[www.wago.com/859-406/000-006](http://www.wago.com/859-406/000-006)



**Item no.: 859-406/000-029**  
Push-in type jumper bar; 6-way; Nominal current 18 A; insulated

[www.wago.com/859-406/000-029](http://www.wago.com/859-406/000-029)



**Item no.: 859-407**  
Push-in type jumper bar; 7-way; Nominal current 18 A; insulated

[www.wago.com/859-407](http://www.wago.com/859-407)



**Item no.: 859-407/000-005**  
Push-in type jumper bar; 7-way; Nominal current 18 A; insulated

[www.wago.com/859-407/000-005](http://www.wago.com/859-407/000-005)



**Item no.: 859-407/000-006**  
Push-in type jumper bar; 7-way; Nominal current 18 A; insulated

[www.wago.com/859-407/000-006](http://www.wago.com/859-407/000-006)



**Item no.: 859-407/000-029**  
Push-in type jumper bar; 7-way; Nominal current 18 A; insulated

[www.wago.com/859-407/000-029](http://www.wago.com/859-407/000-029)



**Item no.: 859-408**  
Push-in type jumper bar; 8-way; Nominal current 18 A; insulated

[www.wago.com/859-408](http://www.wago.com/859-408)












**Item no.: 859-408/000-005**  
Push-in type jumper bar; 8-way; Nominal current 18 A; insulated

[www.wago.com/859-408/000-005](http://www.wago.com/859-408/000-005)



**Item no.: 859-408/000-006**  
Push-in type jumper bar; 8-way; Nominal current 18 A; insulated

[www.wago.com/859-408/000-006](http://www.wago.com/859-408/000-006)

	<b>Item no.: 859-408/000-029</b> Push-in type jumper bar; 8-way; Nominal current 18 A; insulated	<a href="http://www.wago.com/859-408/000-029">www.wago.com/859-408/000-029</a>
	<b>Item no.: 859-409</b> Push-in type jumper bar; 9-way; Nominal current 18 A; insulated	<a href="http://www.wago.com/859-409">www.wago.com/859-409</a>
	<b>Item no.: 859-409/000-005</b> Push-in type jumper bar; 9-way; Nominal current 18 A; insulated	<a href="http://www.wago.com/859-409/000-005">www.wago.com/859-409/000-005</a>
	<b>Item no.: 859-409/000-006</b> Push-in type jumper bar; 9-way; Nominal current 18 A; insulated	<a href="http://www.wago.com/859-409/000-006">www.wago.com/859-409/000-006</a>
	<b>Item no.: 859-409/000-029</b> Push-in type jumper bar; 9-way; Nominal current 18 A; insulated	<a href="http://www.wago.com/859-409/000-029">www.wago.com/859-409/000-029</a>
	<b>Item no.: 859-410</b> Push-in type jumper bar; 10-way; Nominal current 18 A; insulated	<a href="http://www.wago.com/859-410">www.wago.com/859-410</a>
	<b>Item no.: 859-410/000-005</b> Push-in type jumper bar; 10-way; Nominal current 18 A; insulated	<a href="http://www.wago.com/859-410/000-005">www.wago.com/859-410/000-005</a>
	<b>Item no.: 859-410/000-006</b> Push-in type jumper bar; 10-way; Nominal current 18 A; insulated	<a href="http://www.wago.com/859-410/000-006">www.wago.com/859-410/000-006</a>
	<b>Item no.: 859-410/000-029</b> Push-in type jumper bar; 10-way; Nominal current 18 A; insulated	<a href="http://www.wago.com/859-410/000-029">www.wago.com/859-410/000-029</a>

## Downloads

### Documentation

#### Instruction Leaflet

Measurement Transducer and Isolation Amplifier Millivolt transducer DIP switch / FDT/DTM GUI	13-oct-2010	pdf 2.2 MB	Download
---	-------------	---------------	----------

#### Additional Information

Disposal; Electrical and electronic equipment, Packaging	V 1.0.0 10-oct-2018	pdf 265.8 kB	Download
--	------------------------	-----------------	----------

## Engineering-Software

### Software for Interface-Products

Interface Configuration Software SMALL The full setup only includes the WAGO Interface Configuration Software.	1.6.2.11 14-ene-2019	exe 47.1 MB	Download
---	-------------------------	----------------	----------



Interface Configuration Software FULL	1.6.2.11	exe	Download
The full setup, in addition to the WAGO Interface Configuration Software, includes the installation for the Microsoft .NET Framework.	14-ene-2019	97.5 MB	

---

## CAD/CAE - Smart Data

### CAD data

3D Download 857-819		URL	Download
Step file 857-08xx Series	1.0	STP	Download
	30-jun-2011	348.4 kB	

---

Subject to changes.