

# Design Meets Technology

## Application Visualization with the DISPLAY 7300T Web Panel




# YOUR MACHINE NEEDS A BUSINESS CARD



Easy to use – set brightness directly on the display

Energy-saving sensors ensure safety



## e!DISPLAY 7300T Web Panel

*e!DISPLAY* is the high-performance HMI display with a resistive touch screen for Web-based visualization. On top of its technically advanced features, the Web Panel offers a sleek, user-focused design. The display has been optimized for the best performance – regardless of application type or system size – thanks to four available screen sizes (4.3" / 5.7" / 7.0" and 10.1").

### Usability

Sensors can automatically adjust the brightness of *e!DISPLAY* based on a room's ambient lighting conditions. Additionally, users can also easily and quickly readjust brightness levels to suit their needs. The display carries front-mounted screen setup buttons for exceptional usability.

## Sensors

*e!DISPLAY* features an energy-saving, stand-by function with a screen saver. Integrated sensors conveniently and automatically show the previous visualization as a user approaches the display. Operating conditions are recorded via temperature sensor and can be used for reliable testing. Status LEDs indicate both operating status and operational feedback at all times.







## Mounting

*e!DISPLAY* directly latches onto the control cabinet via mounting clips for quick and easy tool-free installation. Achieve IP65 levels of protection for the front of the display with additional clamping elements. This design flexibility makes *e!DISPLAY* extremely versatile and suitable for a wide variety of applications. The VESA mount allows universal mounting accessories to be conveniently used outside of the control panel.

## All from the Same Source

The more harmonious component integration is, the better performance and reliability will be. *e!DISPLAY* provides high-quality visualizations via CODESYS 2 and WAGO's *e!COCKPIT* engineering software (based on CODESYS 3). It also offers users new technologies, such as HTML5. High-performance solutions are yours when *e!DISPLAY* is combined with WAGO's industry-leading PFC200 and PFC100 Controllers.

Please find additional information at [www.wago.com/edisplay](http://www.wago.com/edisplay)

				
Size	4.3"	5.7"	7.0"	10.1"
Item Number	762-3000	762-3001	762-3002	762-3003

**WAGO Kontakttechnik GmbH & Co. KG**

Postfach 2880 · 32385 Minden  
Hansastraße 27 · 32423 Minden  
[info@wago.com](mailto:info@wago.com)  
[www.wago.com](http://www.wago.com)

Headquarters	+49 571/ 887 - 0
Sales	+49 571/ 887 - 222
Order Service	+49 571/ 887 - 333
Fax	+49 571/ 887 - 169

WAGO is a registered trademark of WAGO Verwaltungsgesellschaft mbH.

"Copyright – WAGO Kontakttechnik GmbH & Co. KG – all rights reserved. The content and structure of the WAGO websites, catalogs, videos, and other WAGO media are subject to copyright. The dissemination or changing of the content of these pages and videos is not permitted. Furthermore, the content may neither be copied nor made available to third parties for commercial purposes. Also subject to copyright are the images and videos that were made available to WAGO Kontakttechnik GmbH & Co. KG by third parties."